



MICHAEL J. BROWN, M.D., P.L.L.C.

Aesthetic Cosmetic Plastic Surgery

INFORMED-CONSENT–CIRCUMFERENTIAL BODY LIFT SURGERY

INSTRUCTIONS

This is an informed-consent document that has been prepared to help Dr. Brown inform you of circumferential body lift surgery, its risks, as well as alternative treatments.

It is important that you read this information carefully and completely. Please initial each page, indicating that you have read the page and sign the consent for surgery as proposed by Dr. Brown.

INTRODUCTION

Circumferential body lift is a surgical procedure to remove excess skin and fatty tissue from the legs. Circumferential body lift is not a surgical treatment for being overweight. Obese individual who intend to lose weight should postpone all forms of body contouring surgery until they have been able to maintain their weight loss.

There are a variety of different techniques used by plastic surgeons for circumferential body lifting. Circumferential body lift can be combined with other forms of body-contouring surgery including suction-assisted lipectomy or performed at the same time with other elective surgeries.

ALTERNATIVE TREATMENTS

Alternative forms of management consist of not treating the areas of loose skin and fatty deposits. Suction assisted lipectomy surgery may be a surgical alternative to circumferential body lift if there is good skin tone and localized fatty deposits in an individual of normal weight. Diet and exercise programs may be of benefit in the overall reduction of excess body fat.

RISKS of CIRCUMFERENTIAL BODY LIFT SURGERY

Every surgical procedure involves a certain amount of risk and it is important that you understand the risks involved with circumferential body lift. An individual's choice to undergo a surgical procedure is based on the comparison of the risk to potential benefit. Although the majority of patients do not experience the following complications, you should discuss each of them with Dr. Brown to make sure you understand all possible consequences of circumferential body lift.

Bleeding- It is possible, though unusual, to experience a bleeding episode during or after surgery. Should post-operative bleeding occur, it may require emergency treatment to drain accumulated blood or blood transfusion. Do not take any aspirin or anti-inflammatory medications or any other listed medications for ten days before surgery, as this may increase the risk of bleeding.

Infection- Infection is unusual after this type of surgery. Should an infection occur, treatment including antibiotics or additional surgery may be necessary.

Change in skin sensation- Diminished (or loss of) skin sensation in the thigh area may not totally resolve after circumferential body lift.

Skin contour irregularities- Contour irregularities and depressions may occur after circumferential body lift. Visible and palpable wrinkling of skin can occur.

Risks of Circumferential body lift surgery, continued

Skin scarring- Excessive scarring is uncommon. In rare cases, abnormal scars may result. Scars may be unattractive and of different color than surrounding skin. Additional treatments including surgery may be necessary to treat abnormal scarring.

Surgical anesthesia- Both local and general anesthesia involve risk. There is the possibility of complications, injury, and even death from all forms of surgical anesthesia or sedation.

Asymmetry- Symmetrical body appearance may not result from circumferential body lift. Factors such as skin tone, fatty deposits, bony prominence, and muscle tone may contribute to normal asymmetry in body features.

Umbilicus- Malposition, scarring, unacceptable appearance or loss of the umbilicus (navel) may occur.

Delayed healing- Wound disruption or delayed wound healing is possible. Some areas of the abdomen may not heal normally and may take a long time to heal. Some areas of skin may die. This may require frequent dressing changes or further surgery to remove the non-healed tissue.

Smokers have a greater risk of skin loss and wound healing complications.

Allergic reactions- In rare cases, local allergies to tape, suture material, or topical preparations have been reported. Systemic reactions which are more serious may occur to drugs used during surgery and prescription medicines. Allergic reactions may require additional treatment.

Pulmonary complications- Pulmonary complications may occur secondarily to both blood clots (pulmonary emboli) or partial collapse of the lungs after general anesthesia. Should either of these complications occur, you may require hospitalization and additional treatment. Pulmonary emboli can be life-threatening or fatal in some circumstances.

Fat embolism syndrome occurs when fat droplets are trapped in the lungs. This is a very rare and possibly fatal complication of suction-assisted Lipectomy and/or circumferential body lift. Should fat embolism or other pulmonary complications occur following suction-assisted lipectomy, additional treatment including hospitalization may be necessary.

Seroma- Fluid accumulations infrequently occur in between the skin and the abdominal wall. Should this problem occur, it may require additional procedures for drainage of fluid.

Surgical shock- In rare circumstances, this procedure can cause severe trauma, particularly when multiple or extensive areas are suctioned at one time. Although serious complications are infrequent, infections or excessive fluid loss can lead to severe illness and even death. Should surgical shock occur after circumferential body lift, hospitalization and additional treatment would be necessary.

Long term effects- Subsequent alterations in body contour may occur as the result of aging, weight loss or gain, pregnancy, or other circumstances not related to circumferential body lift.

Pain- Chronic pain may occur very infrequently from nerves becoming trapped in scar tissue after circumferential body lift.

Other- You may be disappointed with the results of surgery. Infrequently, it is necessary to perform additional surgery to improve your results.

Risks of Circumferential body lift surgery, continued

HEALTH INSURANCE

Most health insurance companies exclude coverage for cosmetic surgical operations such as circumferential body lift or any complications that might occur from surgery. Please carefully review your health insurance subscriber-information pamphlet.

ADDITIONAL SURGERY NECESSARY

Should complications occur, additional surgery or other treatments may be necessary. Even though risks and complications occur infrequently, the risks cited are particularly associated with circumferential body lift. Other complications and risks can occur but are even more uncommon. The practice of medicine and surgery is not an exact science. Although good results are expected, there is no guarantee or warranty expressed or implied, on the results that may be obtained.

FINANCIAL RESPONSIBILITIES

The cost of surgery involves several charges for the services provided. The total includes fees charged by your doctor, the cost of surgical supplies, anesthesia, laboratory tests, and possible outpatient hospital charges, depending on where the surgery is performed. Depending on whether the cost of surgery is covered by an insurance plan, you will be responsible for necessary co-payments, deductibles, and charges not covered. Additional costs may occur should complications develop from the surgery. Secondary surgery or hospital day-surgery charges involved with revisionary surgery would also be your responsibility.

DISCLAIMER

Informed-consent documents are used to communicate information about the proposed surgical treatment of a disease or condition along with disclosure of risks and alternative forms of treatment(s). The informed-consent process attempts to define principles of risk disclosure that should generally meet the needs of most patients in most circumstances.

However, informed consent documents should not be considered all inclusive in defining other methods of care and risks encountered. Dr. Brown may provide you with additional or different information which is based on all the facts in your particular case and the state of medical knowledge.

Informed-consent documents are not intended to define or serve as the standard of medical care. Standards of medical care are determined on the basis of all of the facts involved in an individual case and are subject to change as scientific knowledge and technology advance and as practice patterns evolve.

It is important that you read the above information carefully and have all of your questions answered before signing the consent on the next page.

CONSENT FOR SURGERY/ PROCEDURE or TREATMENT

1. I hereby authorize Dr. Michael J. Brown and such assistants as may be selected to perform the following procedure or treatment:

CIRCUMFERENTIAL BODY LIFT SURGERY

I have received the following information sheet:

INFORMED-CONSENT CIRCUMFERENTIAL BODY LIFT SURGERY

2. I recognize that during the course of the operation and medical treatment or anesthesia, unforeseen conditions may necessitate different procedures than those above. I therefore authorize the above physician and assistants or designees to perform such other procedures that are in the exercise of his or her professional judgment necessary and desirable. The authority granted under this paragraph shall include all conditions that require treatment and are not known to my physician at the time the procedure is begun.
3. I consent to the administration of such anesthetics considered necessary or advisable. I understand that all forms of anesthesia involves risk and the possibility of complications, injury, and sometimes death.
4. I acknowledge that no guarantee has been given by anyone as to the results that may be obtained.
5. I consent to the photographing or televising of the operation(s) or procedure(s) to be performed, including appropriate portions of my body, for medical, marketing, scientific or educational purposes.
6. For purposes of advancing medical education, I consent to the admittance of observers to the operating room.
7. I consent to the disposal of any tissue, medical devices or body parts which may be removed.
8. I authorize the release of my Social Security number to appropriate agencies for legal reporting and medical-device registration, if applicable.
9. IT HAS BEEN EXPLAINED TO ME IN A WAY THAT I UNDERSTAND:
 - a. THE ABOVE TREATMENT OR PROCEDURE TO BE UNDERTAKEN
 - b. THERE MAY BE ALTERNATIVE PROCEDURES OR METHODS OF TREATMENT
 - c. THERE ARE RISKS TO THE PROCEDURE OR TREATMENT PROPOSED

I CONSENT TO THE TREATMENT OR PROCEDURE AND THE ABOVE LISTED ITEMS (1-9). I AM SATISFIED WITH THE EXPLANATION.

Patient or Person Authorized to Sign for Patient

Date _____

Witness